LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.

V-TAC®

Big Panels-60x60

45w **VT-6165**

SKU: 6420 - 4000K Day White   3800157626835

5 YEAR WARRANTY*

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x14mm**
Luminous Flux:	**3600lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

595 mm | 595 mm | 14 mm

Big Panels-60x60

45w **VT-6060-6**

SKU: 60286 - 3000K Warm White   3800230624482
SKU: 60246 - 4000K Day White   3800230623652
SKU: 60256 - 6400K White   3800230623584

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PP**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x14mm**
Luminous Flux:	**3600lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

595 mm | 595 mm | 14 mm

---

Big Panels-UGR<19-60x60

45w **VT-6068-6**

SKU: 62206 - 3000K Warm White   3800157619516
SKU: 62186 - 4000K Day White   3800157609265
SKU: 62196 - 6400K White   3800157609272

LG7 Compliant
UGR<19

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PP**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**595x595x14mm**
Luminous Flux:	**3600lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

595 mm | 595 mm | 14 mm

---

Big Panels-UGR<19-62x62

45w **VT-6069**

SKU: 6222 - 3000K Warm White   3800157604918
SKU: 6217 - 4000K Day White   3800157604857
SKU: 6221 - 6400K White   3800157604901

LG7 Compliant
UGR<19

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PP**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**620x620x14mm**
Luminous Flux:	**3600lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

620 mm | 620 mm | 14 mm

NEW

Big Panels-High Lumen-62x62

29w **VT-6262**

SKU: 6471 - 4000K Day White   3800157641012

120+ LUMENS/ WATT SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**620x620x15.5mm**
Luminous Flux:	**3480lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

620 mm | 620 mm | 15.5mm

Live . Light . Life | GS RoHS COMPLIANT CE/EMC

V-TAC®

Big Panels-High Lumen-60x60

29w **VT-6129-6**

SKU: 62406 - 3000K Warm White 3800157619608
SKU: 62416 - 4000K Day White 3800157609289
SKU: 62426 - 6400K White 3800157609296

120⁺ LUMENS/ WATT
SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**3480lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

Body Type:	**Aluminium+PMMA+PC**
Dimension:	**595x595x13mm**
Box Qty:	**6 Pcs**

595 mm · 595 mm · 13 mm

---

Big Panels-High Lumen-60x60

45w **VT-6145-6**

SKU: 63776 - 3000K Warm White 3800157622158
SKU: 62366 - 4000K Day White 3800157615723
SKU: 62376 - 6400K White 3800157615730

120⁺ LUMENS/ WATT
SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**5400lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium+PMMA+PP**
Dimension:	**595x595x13mm**
Box Qty:	**6 Pcs**

595 mm · 595 mm · 13 mm

---

Big Panels-High Lumen-60x60

36w **VT-6136**

SKU: 6376 - 3000K Warm White 3800157622141
SKU: 6238 - 4000K Day White 3800157607636
SKU: 6239 - 6400K White 3800157607643

120⁺ LUMENS/ WATT
SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**4320lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium+PMMA+PC**
Dimension:	**595x595x13mm**
Box Qty:	**6 Pcs**

595 mm · 595 mm · 13 mm

Big Panels-High Lumen-62x62

36w **VT-6137**

SKU: 62436 - 4000K Day White 3800157619622
SKU: 63796 - 6400K White 3800157622172

120⁺ LUMENS/ WATT
SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**4320lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium+PMMA+PC**
Dimension:	**620x620x13mm**
Box Qty:	**6 Pcs**

620 mm · 620 mm · 13 mm

Big Panels-Surfaced/Recessed-60x60

36w **VT-6139**

SKU: 6380 - 4000K Day White 3800157624008
SKU: 6381 - 6400K White 3800157624015

2 IN 1
RECESSED OR SURFACE

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**2880lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Iron+PS**
Dimension:	**595x595x19mm**
Box Qty:	**4 Pcs**

595 mm · 595 mm · 19 mm

Live . Light . Life | GS RoHS COMPLIANT CE/EMC

NEW

## Surface/Recessed Panel-60x60

40w **VT-6142-1**

SKU: 64511 - 4000K Day White   3800157644990
SKU: 64521 - 6500K White   3800157645003

|					
Emergency Pack:	**NA**	LED Type:	**SMD**	Body Type:	**FE+PP**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Dimension:	**595x595x29mm**
Luminous Flux:	**3200lm**	PF:	**>0.9**	Box Qty:	**4 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Surface/Recessed Panel-60x60

40w **VT-6142**

SKU: 6451 - 4000K Day White   3800157636438
SKU: 6452 - 6000K White   3800157636421

|					
Emergency Pack:	**NA**	LED Type:	**SMD**	Body Type:	**FE+PP**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Dimension:	**595x595x29mm**
Luminous Flux:	**4000lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Surface/Recessed Panel-60x60

70w **VT-6170**

SKU: 6453 - 4000K Day White   3800157636452
SKU: 6454 - 6000K White   3800157636445

Emergency Pack:	**NA**	LED Type:	**SMD**	Body Type:	**FE+PP**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Dimension:	**595x595x29mm**
Luminous Flux:	**5950lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

Transparent Panel-120x30

40w **VT-6144**

SKU: 6458 - 4000K Day White   3800157638098

5 YEAR **WARRANTY***

0-10V DIMMABLE

1210   319   51.5

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PC**
Voltage/Frequency:	**AC:220-240V,50Hz**	CRI:	**>80**	Dimension:	**1210x319mm**
Luminous Flux:	**3200lm**	PF:	**>0.9**	Box Qty:	**4 Pcs**
Beam Angle:	**140°**	Shape:	**Rectangle**		

Live . Light . Life | GS RoHS COMPLIANT CE/EMC

V-TAC®

Big Panels-High Lumen-120x30

29w **VT-12031**

SKU: 6256 - 3000K Warm White   3800157610414
SKU: 6257 - 4000K Day White   3800157610421
SKU: 6258 - 6400K White   3800157610438

120+ LUMENS/ WATT SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PS**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**1195x295x14mm**
Luminous Flux:	**3480lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

295 mm   1195 mm   14 mm

Big Panel-High Lumen-120x30

45w **VT-12046**

SKU: 6384 - 4000K Day White   3800157624770
SKU: 6385 - 6000K White   3800157624787

120+ LUMENS/ WATT SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PS**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**1195x295x14mm**
Luminous Flux:	**5400lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

295 mm   1195 mm   14 mm

Big Panels-120x30

45w **VT-12030**

SKU: 60696 - 3000K Warm White   3800157609326
SKU: 60266 - 4000K Day White   3800230623638
SKU: 60276 - 6400K White   3800157609319

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PS**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**1195x295x14mm**
Luminous Flux:	**3600lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

295 mm   1195 mm   14 mm

Big Panels-UGR<19-120x30

45w **VT-12032**

SKU: 6329 - 4000K Day White   3800157619615

LG7 Compliant UGR<19

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PS**
Voltage/Frequency:	**AC:220-240V,50/60Hz**	CRI:	**>80**	Dimension:	**1195x295x14mm**
Luminous Flux:	**3600lm**	PF:	**>0.9**	Box Qty:	**6 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

295 mm   1195 mm   14 mm

Big Panels-High Lumen-120x60

45w **VT-12045**

SKU: 6332 - 4000K Day White   3800157620321
SKU: 6333 - 6400K White   3800157620338

120+ LUMENS/ WATT SUPER EFFICIENT

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+PMMA+PS**
Voltage/Frequency:	**AC:200-240V,50/60Hz**	CRI:	**>80**	Dimension:	**1195x595x14mm**
Luminous Flux:	**5400lm**	PF:	**>0.9**	Box Qty:	**2 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

595 mm   1195 mm   14 mm

Live . Light . Life | GS | RoHS COMPLIANT | CE/EMC

Round-Suspended Panel

40w **VT-6141B**

SKU: 6433 - 4000K Day White   3800157628129

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø400mm**
Luminous Flux:	**3200lm**	PF:	**>0.9**	Box Qty:	**1 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Round-Suspended Panel

40w **VT-6141**

SKU: 6432 - 4000K Day White   3800157628112

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø400mm**
Luminous Flux:	**3200lm**	PF:	**>0.9**	Box Qty:	**1 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

DRIVERS FOR BIG PANELS   Voltage: AC:220-240V,50/60Hz

Watts: **30w**	Watts: **29w**	Watts: **29w**	Watts: **36w**	Watts: **42w**
SKU: **3110**	SKU: **6268**	SKU: **6271**	SKU: **6436**	SKU: **6029**
Dimmable: **No**	Dimmable: **Yes**	Dimmable: **No**	Dimmable: **No**	Dimmable: **No**
EAN: **3800157622103**	EAN: **3800157614412**	EAN: **3800157614443**	EAN: **3800157629386**	EAN: **3800157608626**
Box Qty: **50 Pcs**	Box Qty: **20 Pcs**	Box Qty: **50 Pcs**	Box Qty: **20 Pcs**	Box Qty: **50 Pcs**
DALI	DIMMABLE	5 YEAR WARRANTY FLICKER FREE		TRIDONIC enlightening your ideas

Watts: **45w**	Watts: **45w**	Watts: **45w**	Watts: **45w**	Watts: **70w**
SKU: **6437**	SKU: **6386**	SKU: **6427**	SKU: **6270**	SKU: **6328**
Dimmable: **Yes**	Dimmable: **No**	Dimmable: **No**	Dimmable: **No**	Dimmable: **Yes**
EAN: **3800157630337**	EAN: **3800157624886**	EAN: **3800157626996**	EAN: **3800157614436**	EAN: **3800157619592**
Box Qty: **20 Pcs**	Box Qty: **50 Pcs**	Box Qty: **50 Pcs**	Box Qty: **50 Pcs**	Box Qty: **50 Pcs**
0-10V DIMMABLE	120 ‡ LUMENS/ WATT SUPER EFFICIENT	5 YEAR WARRANTY 120 ‡ LUMENS/ WATT SUPER EFFICIENT	FLICKER FREE 5 YEAR WARRANTY 120 ‡ LUMENS/ WATT SUPER EFFICIENT	5 YEAR WARRANTY DIMMABLE

V-TAC®

Watts:	**45w**
SKU:	**6450**
Dimmable:	**No**
EAN:	**3800157635677**
Box Qty:	**50 Pcs**

5 YEAR WARRANTY*

MOUNTING KITS FOR PANELS

Suspended Mounting

SKU:	**6018**
EAN:	**3800230623669**
Box Qty:	**100 Pcs**

Adjustable height from 0.3 to 1m.This product can be used for all sizes of panels , that is
• 300 x 300   • 600 x 600   • 1200 x 300   • 1200 x 600

Surface Mounting-30x30

SKU:	**9970**
EAN:	**3800230623690**
Box Qty:	**5 Pcs**

Convert the recessed panel to surface panel and install it easilyon solid surfaces.

Waterproof Suspension Kit

SKU:	**8119**
EAN:	**3800157624763**
Box Qty:	

Surface Mounting-60x60

SKU:	**6327**
EAN:	**3800157619424**
Box Qty:	**20 Pcs**

Surface Mounting-60x60

SKU:	**9999**
EAN:	**3800230623676**
Box Qty:	**5 Pcs**

Convert the recessed panel to surface panel and install it easily on solid surfaces.

Surface Mounting-62x62

SKU:	**9997**
EAN:	**3800157633130**
Box Qty:	**5 Pcs**

Convert the recessed panel to surface panel and install it easilyon solid surfaces.

NEW

Surface Mouting-60x60

SKU:	**8156**
EAN:	**3800157640213**
Box Qty:	**10 Pcs**

IMPROVED MATERIAL MORE STRONG

NEW

Surface Mouting-62x62

SKU:	**8157**
EAN:	**3800157640220**
Box Qty:	**10 Pcs**

IMPROVED MATERIAL MORE STRONG

Surface Mounting-120x30

SKU:	**9969**
EAN:	**3800230623683**
Box Qty:	**6 Pcs**

Surface Mounting-120x60

SKU:	**9989**
EAN:	**3800230623614**
Box Qty:	**5 Pcs**

NEW

Surface Mouting-120x30

SKU:	**8158**
EAN:	**3800157640237**
Box Qty:	**10 Pcs**

IMPROVED MATERIAL MORE STRONG

Live . Light . Life | GS RoHS CE/EMC

Emergency Pack-6W to 24W

VT-525

SKU: 8275   3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	**DC:20-80V**		Color of Fixture:	**Silver**
Led output power:	**AC:220-240V,50/60Hz**		Body Type:	**Aluminium**
Charging time:	**24 Hours**		Size:	**455x52x33mm**
Working time:	**3 hours**		Emergency switch on time:	**< 1s**
Battery:	**Ni-Cd7.2V/2000mAh**		Box Qty:	**20 Pcs**

455 mm

33 mm

Emergency Pack-29W to 45W

VT-518

SKU: 60303   3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	**DC:30-42V**		Color of Fixture:	**Silver**
Led output power:	**AC:220-240V,50/60Hz**		Body Type:	**Aluminium**
Charging time:	**24 Hours**		Size:	**465x52x33mm**
Working time:	**3 Hours**		Emergency switch on time:	**< 1s**
Battery:	**NI-CD, 7.2V, 4400 mAh**		Box Qty:	**12 Pcs**

465 mm

33 mm

Live . Light . Life | GS RoHS COMPLIANT C€/EMC

V-TAC®

LED LINEAR PANELS

Linear Lights

10w **VT-10001**

SKU: 6401 - 3000K Warm White   3800157626620
SKU: 6402 - 4000K Day White   3800157626637
SKU: 6403 - 6400K White   3800157626644

Cutting Size:

138x32mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**160x45x65mm**
Luminous Flux:	**750lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

20w **VT-20001**

SKU: 6404 - 3000K Warm White   3800157626651
SKU: 6405 - 4000K Day White   3800157626668
SKU: 6406 - 6400K White   3800157626675

Cutting Size:

170x32mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**290x45x65mm**
Luminous Flux:	**1600lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

30w **VT-30001**

SKU: 6407 - 3000K Warm White   3800157626682
SKU: 6408 - 4000K Day White   3800157626699
SKU: 6409 - 6400K White   3800157626705

Cutting Size:

405x32mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**430x45x65mm**
Luminous Flux:	**2400lm**	PF:	**>0.9**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

10w **VT-10002**

SKU: 6410 - 3000K Warm White   3800157626712
SKU: 6411 - 4000K Day White   3800157626729
SKU: 6412 - 6400K White   3800157626736

Cutting Size:

138x32mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**160x45x72mm**
Luminous Flux:	**700lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Live . Light . Life | GS | RoHS COMPLIANT | CE/EMC

Linear Lights

20w **VT-20002**

SKU: 6413 - 3000K Warm White   3800157626743
SKU: 6414 - 4000K Day White   3800157626750
SKU: 6415 - 6400K White   3800157626767

Cutting Size:
170x32mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**290x45x72mm**
Luminous Flux:	**1400lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

Linear Lights

30w **VT-30002**

SKU: 6416 - 3000K Warm White   3800157626774
SKU: 6417 - 4000K Day White   3800157626781
SKU: 6418 - 6400K White   3800157626798

Cutting Size:
405x32mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**430x45x72mm**
Luminous Flux:	**2100lm**	PF:	**>0.9**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Rectangle**		

LED PREMIUM SERIES

Premium Series-Round

3w **VT-307RD**

SKU: 6292 - 3000K Warm White   3800157616751
SKU: 6293 - 4000K Day White   3800157616768
SKU: 6294 - 6400K White   3800157616775

Cutting Size:
Ø73mm

84 mm   **12 mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø84x12mm**
Luminous Flux:	**210lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Premium Series-Round

6w **VT-607RD**

SKU: 4854 - 3000K Warm White   3800230629753
SKU: 4855 - 4000K Day White   3800230629760
SKU: 4856 - 6400K White   3800230629777

Cutting Size:
Ø110mm

120 mm   **12 mm**

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø120x12mm**
Luminous Flux:	**420lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

V-TAC ®

Premium Series-Round

12w VT-1207RD

SKU: 4857 - 3000K Warm White   3800230629784
SKU: 4858 - 4000K Day White   3800230629791
SKU: 4859 - 6400K White   3800230629807

Emergency Pack:	**Available**	LED Type:	**SMD**	Cutting Size: **Ø155mm**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1000lm**	PF:	**>0.6**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**Ø170x12mm**
Box Qty:	**20 Pcs**

170 mm **12 mm**

Premium Series-Round

18w VT-1807RD

SKU: 4860 - 3000K Warm White   3800230629814
SKU: 4861 - 4000K Day White   3800230629821
SKU: 4862 - 6400K White   3800230629838

Emergency Pack:	**Available**	LED Type:	**SMD**	Cutting Size: **Ø210mm**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1500lm**	PF:	**>0.6**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**Ø225x12mm**
Box Qty:	**20 Pcs**

225 mm **12 mm**

Premium Series-Round

22w VT-2207RD

SKU: 6422 - 3000K Warm White   3800157626941
SKU: 6423 - 4000K Day White   3800157626958
SKU: 6424 - 6400K White   3800157626965

Emergency Pack:	**Available**	LED Type:	**SMD**	Cutting Size: **Ø220 mm**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1800lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**Ø240x12mm**
Box Qty:	**20 Pcs**

240 mm **12 mm**

Premium Series-Round

24w VT-2407RD

SKU: 4872 - 3000K Warm White   3800157601559
SKU: 4873 - 4000K Day White   3800157601566
SKU: 4874 - 6400K White   3800157601573

Emergency Pack:	**Available**	LED Type:	**SMD**	Cutting Size: **Ø280mm**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**2000lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**Ø300x12mm**
Box Qty:	**10 Pcs**

300 mm **12 mm**

Premium Series-Round

30w VT-3107RD

SKU: 6428 - 4000K Day White   3800157628075
SKU: 6429 - 6400K White   3800157628082

Emergency Pack:	**Available**	LED Type:	**SMD**	Cutting Size: **Ø280mm**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**2400lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**Ø300x12mm**
Box Qty:	**10 Pcs**

300 mm **12 mm**


Live . Light . Life | GS RoHS CE/EMC

Premium Series-Square

3w **VT-307SQ**

SKU: 6295 - 3000K Warm White   3800157616782
SKU: 6296 - 4000K Day White   3800157616799
SKU: 6297 - 6400K White   3800157616805

Cutting Size:
74x73mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**84x84x12mm**
Luminous Flux:	**210lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

84 mm
84 mm   12 mm

Premium Series-Square

6w **VT-607SQ**

SKU: 4863 - 3000K Warm White   3800230629845
SKU: 4864 - 4000K Day White   3800230629852
SKU: 4865 - 6400K White   3800230629869

Cutting Size:
110mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**120x120x12mm**
Luminous Flux:	**420lm**	PF:	**>0.7**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

120 mm
120 mm   12 mm

Premium Series-Square

12w **VT-1207SQ**

SKU: 4866 - 3000K Warm White   3800230629876
SKU: 4867 - 4000K Day White   3800230629883
SKU: 4868 - 6400K White   3800230629890

Cutting Size:
155x155mm

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**170x170x12mm**
Luminous Flux:	**1000lm**	PF:	**>0.6**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

170 mm
170 mm   12 mm

Premium Series-Square

18w **VT-1807SQ**

SKU: 4869 - 3000K Warm White   3800230629906
SKU: 4870 - 4000K Day White   3800230629913
SKU: 4871 - 6400K White   3800230629920

Cutting Size:
205x205mm

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**225x225x12mm**
Luminous Flux:	**1500lm**	PF:	**>0.6**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

225 mm
225 mm   12 mm

Premium Series-Square

24w **VT-2407SQ**

SKU: 4887 - 3000K Warm White   3800157602198
SKU: 4888 - 4000K Day White   3800157602204
SKU: 4889 - 6400K White   3800157602211

Cutting Size:
280x280mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**300x300x12mm**
Luminous Flux:	**2000lm**	PF:	**>0.9**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

300 mm
300 mm   12 mm

Live . Light . Life   GS   RoHS COMPLIANT   CE/EMC

V-TAC®

Premium Series-Square

36w VT-3107SQ

SKU: 6430 - 4000K Day White — 3800157628099
SKU: 6431 - 6400K White — 3800157628105

Cutting Size:
280x280mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**2400lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium**
Dimension:	**300x300x12mm**
Box Qty:	**10 Pcs**

300 mm **300 mm** **12 mm**

LED SG SERIES

SG Series-Square

8w VT-800 SQ

SKU: 4818 - 6400K White — 3800230622563

Cutting Size:
125x125mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**800lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium(PKW)**
Dimension:	**145x145x20mm**
Box Qty:	**20 Pcs**

145 mm **145 mm** **20 mm**

SG Series-Round

8w VT-800 RD

SKU: 4821 - 6400K White — 3800230622587

Cutting Size:
Ø105mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**800lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Round**

|	
Body Type:	**Aluminium(PKW)**
Dimension:	**Ø120x20mm**
Box Qty:	**20 Pcs**

120 mm **20 mm**

SG Series-Square

15w VT-1500 SQ

SKU: 4826 - 3000K Warm White — 3800230622617
SKU: 4824 - 6400K White — 3800230624994
— 3800230622600

Cutting Size:
140x140mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**1500lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium(PKW)**
Dimension:	**160x160x20mm**
Box Qty:	**20 Pcs**

160 mm **160 mm** **20 mm**

Live . Light . Life | GS | RoHS COMPLIANT | CE/EMC

SG Series-Round
15w **VT-1500 RD**

SKU: 4827 - 6400K White   3800230622624

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1500lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

Cutting Size:
Ø160mm

180 mm   **20 mm**

Body Type:	**Aluminium(PKW)**
Dimension:	**Ø180x20mm**
Box Qty:	**20 Pcs**

SG Series-Round
22w **VT-2200 RD**

SKU: 4833 - 6400K White   3800230622662

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**2200lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Round**

Cutting Size:
Ø220mm

240 mm   **20 mm**

Body Type:	**Aluminium(PKW)**
Dimension:	**Ø240x20mm**
Box Qty:	**20 Pcs**

LED TRIMLESS PANELS

Trimless Panel-Round
8w **VT-888RD**

SKU: 4931 - 3000K Warm White   3800157606479
SKU: 4932 - 4000K Day White   3800157606486
SKU: 4933 - 6400K White   3800157606493

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**800lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Round**

Cutting Size:
Ø75mm

90 mm   **8 mm**

| Body Type:	**Aluminium**
Dimension:	**Ø90x8mm**
Box Qty:	**100 Pcs**

Trimless Panel-Round
15w **VT-1515RD**

SKU: 4934 - 3000K Warm White   3800157606509
SKU: 4935 - 4000K Day White   3800157606516
SKU: 4936 - 6400K White   3800157606523

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**1500lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Round**

Cutting Size:
Ø130mm

146 mm   **8 mm**

Body Type:	**Aluminium**
Dimension:	**Ø146x8mm**
Box Qty:	**40 Pcs**

**Live . Light . Life** GS RoHS COMPLIANT CE/EMC

Trimless Panel-Round

22w VT-2222RD

SKU: 4937 - 3000K Warm White   3800157606530
SKU: 4938 - 4000K Day White   3800157606547
SKU: 4939 - 6400K White   3800157606554

Cutting Size:
Ø155mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**2200lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Round**

Body Type:	**Aluminium**
Dimension:	**Ø170x8mm**
Box Qty:	**40 Pcs**

170 mm   8 mm

Trimless Panel-Round

29w VT-2929RD

SKU: 4940 - 3000K Warm White   3800157606561
SKU: 4941 - 4000K Day White   3800157606578
SKU: 4942 - 6400K White   3800157606585

Cutting Size:
Ø195mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**2900lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Round**

Body Type:	**Aluminium**
Dimension:	**Ø220x8mm**
Box Qty:	**40 Pcs**

220 mm   8 mm

Trimless Panel-Square

8w VT-888SQ

SKU: 4943 - 3000K Warm White   3800157606592
SKU: 4944 - 4000K Day White   3800157606608
SKU: 4945 - 6400K White   3800157606615

Cutting Size:
75x75mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**800lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

|	
Body Type:	**Aluminium**
Dimension:	**90x90x8mm**
Box Qty:	**100 Pcs**

90 mm   90 mm   8 mm

Trimless Panel-Square

15w VT-1515SQ

SKU: 4946 - 3000K Warm White   3800157606622
SKU: 4947 - 4000K Day White   3800157606639
SKU: 4948 - 6400K White   3800157606646

Cutting Size:
130x130mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**1500lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

|	
Body Type:	**Aluminium**
Dimension:	**146x146x8mm**
Box Qty:	**40 Pcs**

146 mm   146 mm   8 mm

Trimless Panel-Square

22w VT-2222SQ

SKU: 4949 - 3000K Warm White   3800157606653
SKU: 4797 - 4000K Day White   3800157606660
SKU: 4798 - 6400K White   3800157606677

Cutting Size:
155x155mm

Emergency Pack:	**Available**	LED Type:	**SMD**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**
Luminous Flux:	**2200lm**	PF:	**>0.9**
Beam Angle:	**120°**	Shape:	**Square**

Body Type:	**Aluminium**
Dimension:	**170x170x8mm**
Box Qty:	**40 Pcs**

170 mm   170 mm   8 mm

Live . Light . Life

RoHS COMPLIANT

CE/EMC

V-TAC®

Trimless Panel-Square
29w VT-2929SQ

SKU: 5031 - 3000K Warm White   3800157606660
SKU: 5032 - 4000K Day White   3800157606677
SKU: 5033 - 6400K White   3800157606684

Cutting Size:
195x195mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**220x220x8mm**
Luminous Flux:	**2900lm**	PF:	**>0.9**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

220 mm **220 mm** **8 mm**

LED SLIM SURFACE PANELS

Slim Surface-Round
6w VT-605RD

SKU: 4904 - 3000K Warm White   3800157605380
SKU: 4905 - 4000K Day White   3800157605397
SKU: 4906 - 6400K White   3800157605403

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø90x24mm**
Luminous Flux:	**420lm**	PF:	**>0.9**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

90 mm **24 mm**

Slim Surface-Round
12w VT-1205 RD

SKU: 4910 - 3000K Warm White   3800157605441
SKU: 4911 - 4000K Day White   3800157605458
SKU: 4912 - 6400K White   3800157605465

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø140x24mm**
Luminous Flux:	**900lm**	PF:	**>0.9**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

140 mm **24 mm**

Slim Surface-Round
18w VT-1805RD

SKU: 4916 - 3000K Warm White   3800157605502
SKU: 4917 - 4000K Day White   3800157605519
SKU: 4918 - 6400K White   3800157605526

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø190x24mm**
Luminous Flux:	**1440lm**	PF:	**>0.9**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

190 mm **24 mm**

Live . Light . Life   GS   RoHS COMPLIANT   CE/EMC

Slim Surface-Square

6w VT-605SQ

SKU: 4907 - 3000K Warm White   3800157605410
SKU: 4908 - 4000K Day White   3800157605427
SKU: 4909 - 6400K White   3800157605434

Emergency Pack:	Available		LED Type:	SMD		Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz		CRI:	>80		Dimension:	90x90x24mm
Luminous Flux:	420lm		PF:	>0.9		Box Qty:	40 Pcs
Beam Angle:	120°		Shape:	Square			

90 mm × 90 mm × 24 mm

Slim Surface-Square

12w VT-1205 SQ

SKU: 4913 - 3000K Warm White   3800157605472
SKU: 4914 - 4000K Day White   3800157605489
SKU: 4915 - 6400K White   3800157605496

Emergency Pack:	Available		LED Type:	SMD		Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz		CRI:	>80		Dimension:	140x140x24mm
Luminous Flux:	900lm		PF:	>0.9		Box Qty:	40 Pcs
Beam Angle:	120°		Shape:	Square			

140 mm × 140 mm × 24 mm

Slim Surface-Square

18w VT-1805SQ

SKU: 4919 - 3000K Warm White   3800157605533
SKU: 4920 - 4000K Day White   3800157605540
SKU: 4921 - 6400K White   3800157605557

| Emergency Pack:	Available		LED Type:	SMD		Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz		CRI:	>80		Dimension:	190x190x24mm
Luminous Flux:	1440lm		PF:	>0.9		Box Qty:	20 Pcs
Beam Angle:	120°		Shape:	Square			

190 mm × 190 mm × 24 mm

Surface Series-Round

8w VT-1408 RD

SKU: 4805 - 3000K Warm White   3800230622730
SKU: 4804 - 4000K Day White   3800230622723
SKU: 4803 - 6400K White   3800230622716

| Emergency Pack:	Available		LED Type:	SMD		Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz		CRI:	>80		Dimension:	Ø110x35mm
Luminous Flux:	800lm		PF:	>0.9		Box Qty:	20 Pcs
Beam Angle:	120°		Shape:	Round			

110 mm × 35 mm

Surface Series-Round

15w VT-1415 RD

SKU: 4811 - 3000K Warm White   3800230622792
SKU: 4810 - 4000K Day White   3800230622785
SKU: 4809 - 6400K White   3800230622778

Emergency Pack:	Available		LED Type:	SMD		Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz		CRI:	>80		Dimension:	Ø160x35mm
Luminous Flux:	1500lm		PF:	>0.9		Box Qty:	20 Pcs
Beam Angle:	120°		Shape:	Round			

160 mm × 35 mm

Live . Light . Life | GS | RoHS COMPLIANT | CE/EMC

www.vtacexports.com | www.v-tac.eu

V-TAC®

Surface Series-Round

22w **VT-1422 RD**

SKU: 4817 - 3000K Warm White   3800230622853
SKU: 4816 - 4000K Day White   3800230622846
SKU: 4815 - 6400K White   3800230622839

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**2200lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**Ø205x35mm**
Box Qty:	**20 Pcs**

205 mm   **35 mm**

Surface Series-Square

8w **VT-1408 SQ**

SKU: 4802 - 3000K Warm White   3800230622709
SKU: 4801 - 4000K Day White   3800230622693
SKU: 4800 - 6400K White   3800230622686

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**800lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

Body Type:	**Aluminium**
Dimension:	**107x107x35mm**
Box Qty:	**40 Pcs**

107 mm   **107 mm**   **35 mm**

Surface Series-Square

15w **VT-1415 SQ**

SKU: 4808 - 3000K Warm White   3800230622761
SKU: 4807 - 4000K Day White   3800230622754
SKU: 4806 - 6400K White   3800230622747

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1500lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

Body Type:	**Aluminium**
Dimension:	**155x155x35mm**
Box Qty:	**20 Pcs**

155 mm   **155 mm**   **35 mm**

Surface Series-Square

22w **VT-1422 SQ**

SKU: 4814 - 3000K Warm White   3800230622822
SKU: 4813 - 4000K Day White   3800230622815
SKU: 4812 - 6400K White   3800230622808

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**2200lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

Body Type:	**Aluminium**
Dimension:	**205x205x35mm**
Box Qty:	**20 Pcs**

205 mm   **205 mm**   **35 mm**

LED CHROME&
SATIN NICKEL PANELS

Live . Light . Life | GS RoHS COMPLIANT C€/EMC

Slim Series-Chrome-Round

6w **VT-607CH**

SKU: 6334 - 3000K Warm White   3800157621182
SKU: 6336 - 6400K White   3800157621205

Cutting Size:
Ø105mm

120 mm   25 mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Chrome**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø120x25mm**
Luminous Flux:	**420lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Series-Chrome-Round

12w **VT-1207CH**

SKU: 6340 - 3000K Warm White   3800157621243
SKU: 6341 - 4000K Day White   3800157621250
SKU: 6342 - 6400K White   3800157621267

Cutting Size:
Ø155mm

170 mm   25 mm

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Chrome**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø170x25mm**
Luminous Flux:	**1000lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Series-Chrome-Round

18w **VT-1807CH**

SKU: 6346 - 3000K Warm White   3800157621304
SKU: 6347 - 4000K Day White   3800157621311
SKU: 6348 - 6400K White   3800157621328

Cutting Size:
Ø205mm

225 mm   25 mm

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Chrome**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø225x25mm**
Luminous Flux:	**1500lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Series-Chrome-Round

24w **VT-2407CH**

SKU: 6352 - 3000K Warm White   3800157621366
SKU: 6353 - 4000K Day White   3800157621373
SKU: 6354 - 6400K White   3800157621380

Cutting Size:
Ø285mm

300 mm   25 mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Chrome**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø300x25mm**
Luminous Flux:	**2000lm**	PF:	**>0.5**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Series-Satin Nickel-Round

6w **VT-607SN**

SKU: 6338 - 4000K Day White   3800157621229

Cutting Size:
Ø105mm

120 mm   25 mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Satin Nickel**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø120x25mm**
Luminous Flux:	**420lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Live . Light . Life | GS | RoHS COMPLIANT | CE/EMC

V-TAC®

Slim Series-Satin Nickel-Round
12w **VT-1207SN**

SKU: 6344 - 4000K Day White   3800157621281

Cutting Size:
Ø155mm

170 mm **25 mm**

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Satin Nickel**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø170x25mm**
Luminous Flux:	**1000lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Series-Satin Nickel-Round
18w **VT-1807SN**

SKU: 6349 - 3000K Warm White   3800157621335
SKU: 6350 - 4000K Day White   3800157621342
SKU: 6351 - 6400K White   3800157621359

Cutting Size:
Ø205mm

225 mm **25 mm**

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Satin Nickel**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø225x25mm**
Luminous Flux:	**1500lm**	PF:	**>0.5**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Series-Satin Nickel-Round
24w **VT-2407SN**

SKU: 6355 - 3000K Warm White   3800157621397
SKU: 6356 - 4000K Day White   3800157621403
SKU: 6357 - 6400K White   3800157621410

Cutting Size:
Ø285mm

300 mm **25 mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Satin Nickel**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø300x25mm**
Luminous Flux:	**2000lm**	PF:	**>0.5**	Box Qty:	**10 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Surface-Chrome-Round
## 6w **VT-605CH**

SKU: 6358 - 3000K Warm White   3800157621427
SKU: 6359 - 4000K Day White   3800157621434
SKU: 6360 - 6400K White   3800157621441

90 mm **24 mm**

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Chrome**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø90x24mm**
Luminous Flux:	**420lm**	PF:	**>0.5**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

Slim Surface-Chrome-Round
## 12w **VT-1205CH**

SKU: 6364 - 3000K Warm White   3800157621489
SKU: 6365 - 4000K Day White   3800157621496
SKU: 6366 - 6400K White   3800157621502

140 mm **24 mm**

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Chrome**
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	Dimension:	**Ø140x24mm**
Luminous Flux:	**1000lm**	PF:	**>0.6**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Round**		

V-TAC®

Slim Surface-Chrome-Round

18w VT-1805CH

SKU: 6370 - 3000K Warm White   3800157621540
SKU: 6371 - 4000K Day White   3800157621557
SKU: 6372 - 6400K White   3800157621564

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Chrome
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

**190 mm**   **24 mm**

Slim Surface-Satin Nickel-Round

6w VT-605SN

SKU: 6361 - 3000K Warm White   3800157621458
SKU: 6363 - 6400K White   3800157621472

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

**90 mm**   **24 mm**

Slim Surface-Satin Nickel-Round

12w VT-1205SN

SKU: 6367 - 3000K Warm White   3800157621519
SKU: 6368 - 4000K Day White   3800157621526
SKU: 6369 - 6400K White   3800157621533

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		

140 mm   **24 mm**

Slim Surface-Satin Nickel-Round

18w VT-1805SN

SKU: 6373 - 3000K Warm White   3800157621571
SKU: 6375 - 6400K White   3800157621595

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium+Satin Nickel
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		

190 mm   **24 mm**

TWIN LED PANELS

Live . Light . Life | GS RoHS CE/EMC

V-TAC®

Twin LED-Square

8w **VT-809SQ**

SKU: 4922 - 3000K Warm White   3800157605564
SKU: 4923 - 4000K Day White   3800157605571
SKU: 4924 - 6400K White   3800157605588

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**800lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

|	
Body Type:	**Aluminium**
Dimension:	**142x142x40mm**
Box Qty:	**20 Pcs**

142 mm · 142mm · 40 mm

Twin LED-Square

15w **VT-1509SQ**

SKU: 4925 - 3000K Warm White   3800157605595
SKU: 4926 - 4000K Day White   3800157605601
SKU: 4927 - 6400K White   3800157605618

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1500lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

|	
Body Type:	**Aluminium**
Dimension:	**192x192x40mm**
Box Qty:	**20 Pcs**

192 mm · 192 mm · 40 mm

Twin LED-Square

22w **VT-2209SQ**

SKU: 4928 - 3000K Warm White   3800157605625
SKU: 4929 - 4000K Day White   3800157605632
SKU: 4930 - 6400K White   3800157605649

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**2200lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Square**	

|	
Body Type:	**Aluminium**
Dimension:	**240x240x40mm**
Box Qty:	**20 Pcs**

240 mm · 240 mm · 40 mm

Twin LED-Round

8w **VT-809RD**

SKU: 4890 - 3000K Warm White   3800157602594
SKU: 4891 - 4000K Day White   3800157602600
SKU: 4892 - 6400K White   3800157602617

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**800lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

|	
Body Type:	**Aluminium**
Dimension:	**142x40mm**
Box Qty:	**20 Pcs**

142 mm · 40 mm

Twin LED-Round

15w **VT-1509RD**

SKU: 4893 - 3000K Warm White   3800157602624
SKU: 4894 - 4000K Day White   3800157602631
SKU: 4895 - 6400K White   3800157602648

Emergency Pack:	**Available**	LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**	CRI:	**>80**	
Luminous Flux:	**1500lm**	PF:	**>0.9**	
Beam Angle:	**120°**	Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**192x40mm**
Box Qty:	**20 Pcs**

192 mm · 40 mm

Live . Light . Life | GS | RoHS COMPLIANT | C€/EMC

V-TAC®

Twin LED-Round

22w VT-2209RD

SKU: 4896 - 3000K Warm White   3800157602655
SKU: 4897 - 4000K Day White   3800157602662
SKU: 4898 - 6400K White   3800157602679

Emergency Pack:	**Available**		LED Type:	**SMD**	
Voltage/Frequency:	**AC:85-265V,50/60Hz**		CRI:	**>80**	
Luminous Flux:	**2200lm**		PF:	**>0.9**	
Beam Angle:	**120°**		Shape:	**Round**	

Body Type:	**Aluminium**
Dimension:	**240x40mm**
Box Qty:	**20 Pcs**

240 mm   **40 mm**

## GLASS LED PANELS

Glass Panel-Round

6w VT-602G RD

SKU: 4740 - 3000K Warm White   3800230622891
SKU: 6277 - 4000K Day White   3800157615754
SKU: 4739 - 6400K White   3800230622884

Cutting Size:

Ø75mm

Emergency Pack:	**Available**		LED Type:	**SMD**	
Voltage/Frequency:	**AC:100-240V,50/60Hz**		CRI:	**>80**	
Luminous Flux:	**420lm**		PF:	**>0.9**	
Beam Angle:	**120°**		Shape:	**Round**	

|	
Body Type:	**Aluminium+Glass**
Dimension:	**Ø100x40mm**
Box Qty:	**40 Pcs**

100 mm   **40 mm**

Glass Panel-Round

12w VT-1202G RD

SKU: 4744 - 3000K Warm White   3800230622938
SKU: 6279 - 4000K Day White   3800157615778
SKU: 4743 - 6400K White   3800230622921

Cutting Size:

Ø120mm

Emergency Pack:	**Available**		LED Type:	**SMD**	
Voltage/Frequency:	**AC:100-240V,50/60Hz**		CRI:	**>80**	
Luminous Flux:	**840lm**		PF:	**>0.9**	
Beam Angle:	**120°**		Shape:	**Round**	

|	
Body Type:	**Aluminium+Glass**
Dimension:	**Ø160x40mm**
Box Qty:	**20 Pcs**

160 mm   **40 mm**

Glass Panel-Round

18w VT-1881G RD

SKU: 4760 - 3000K Warm White   3800230622976
SKU: 6281 - 4000K Day White   3800157615792
SKU: 4759 - 6400K White   3800230622969

Cutting Size:

Ø145mm

Emergency Pack:	**Available**		LED Type:	**SMD**	
Voltage/Frequency:	**AC:100-240V,50/60Hz**		CRI:	**>80**	
Luminous Flux:	**1260lm**		PF:	**>0.9**	
Beam Angle:	**120°**		Shape:	**Round**	

Body Type:	**Aluminium+Glass**
Dimension:	**Ø198x40mm**
Box Qty:	**20 Pcs**

198 mm   **40 mm**

Live . Light . Life   GS   RoHS COMPLIANT   CE/EMC

V-TAC®

Glass Panel-Square

6w   VT-602G SQ

SKU: 4738 - 3000K Warm White   3800230622877
SKU: 6276 - 4000K Day White   3800157615747
SKU: 4737 - 6400K White   3800230622860

Cutting Size:
75x75mm

|				
Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Glass**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	CRI:	**>80**	Dimension:	**100x100x40mm**
Luminous Flux:	**420lm**	PF:	**>0.9**	Box Qty:	**40 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

100 mm / 100 mm / 40 mm

Glass Panel-Square

12w   VT-1202G SQ

SKU: 4742 - 3000K Warm White   3800230622914
SKU: 6278 - 4000K Day White   3800157615761
SKU: 4741 - 6400K White   3800230622907

Cutting Size:
120x120mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Glass**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	CRI:	**>80**	Dimension:	**160x160x40mm**
Luminous Flux:	**840lm**	PF:	**>0.9**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

160 mm / 160 mm / 40 mm

Glass Panel-Square

18w   VT-1881G SQ

SKU: 4746 - 3000K Warm White   3800230622952
SKU: 6280 - 4000K Day White   3800157615785
SKU: 4745 - 6400K White   3800230622945

Cutting Size:
145x145mm

Emergency Pack:	**Available**	LED Type:	**SMD**	Body Type:	**Aluminium+Glass**
Voltage/Frequency:	**AC:100-240V,50/60Hz**	CRI:	**>80**	Dimension:	**198x198x40mm**
Luminous Flux:	**1260lm**	PF:	**>0.9**	Box Qty:	**20 Pcs**
Beam Angle:	**120°**	Shape:	**Square**		

198 mm / 198 mm / 40 mm

DRIVERS FOR MINI PANELS   Voltage: AC:180-240V,50/60Hz

	Driver 1	Driver 2	Driver 3	Driver 4	Driver 5
Watts:	**6w**	**12w**	**18w**	**18/24w**	**24w**
SKU:	**8073**	**8074**	**8075**	**8070**	**8076**
Dimmable:	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**
EAN:	**3800157605823**	**3800157605830**	**3800157605847**	**3800157616836**	**3800157605946**
Box Qty:	**200 Pcs**	**200 Pcs**	**200 Pcs**	**50 Pcs**	**200 Pcs**

DIMMABLE   DIMMABLE   DIMMABLE   DIMMABLE   DIMMABLE

Live . Light . Life | GS RoHS COMPLIANT CE/EMC